Select KTC's rechargeable LED light series depending on the work scene and brightness

Туре	Wearable type				Handy type			Freestanding type				
Description	NECK LIGHT	FLEXIBLE LIGHT (PEN LIGHT TYPE)	FLEXIBLE LIGHT (HAND LIGHT TYPE)	PEN LIGHT (WITH HEAD HOLDER)	HEAD	LIGHT	PEN LIGHT	HAND LIGHT	FOLDIN	G LIGHT	SLIM LIGHT	FLOOR LIGHT S
Part No.	AL814N	AL816P	AL816H	AL820	AL813S	AL813M	AL815P	AL815H	AL815V	AL815W	AL810	AL8125
Light source (lm)	320	350	1000	380	200	400	350	1000	100	800	900	700
Continuous work time (h)*	2.0	2.5	3.0	3.0	2.0	4.0	2.3	1.5	3.0	2.5	1.6	2.0
Lighting pattern	-	-	-	Top light Main light	-	Spotlight Floodlight	-	-	Top light Main light Sub light	Top light Main light Sub light	White Warm color Intermediate color	-
Dimming level	2 levels	2 levels	3 levels	2 levels (Main light only)	2 levels	3 levels (Floodlight only)	3 levels	4 levels	2 levels (Main light only)	2 levels (Main and (sub light only)	Level less	3 levels
Charging time (h)	about 2.5	about 2.5	about 2.5	about 1.5	about 2.5	about 2.5	about 2.5	about 4.0	about 2.5	about 4.0	about 2.8	about 4.0
Dustproof Waterproof	IP54	IP65	IP65	-	IP65	IP65	IP66	IP68	IP2X	IP54	IP5X	IP65
Weight (g)	140	89	216	50	50	111	52	135	60	193	310	243
Charging terminal (USB)	Type-C	Type-C	Type-C	Type-C	micro-B	Type-C	Type-C	micro-B	Type-C	Type-C	micro-B	Type-C
Charging cable	0	0	0	0	0	0	0	0	0	0	0	0
Charger	-	-	-	-	-	-	-	-	-	-	0	-
Head band	-	-	-	0	0	0	=	-	-	-	-	-

*Continuous use time is the maximum lighting time when using "strong"



 $\cdot \text{Do}$ not look directly at the LED.

·Do not disassemble or modify.

•Tighten the cap firmly after inserting or removing the dedicated rechargeable battery. (AL815P, AL816H, AL816P, AL816H)
•There is no waterproof function. Do not use it underwater or in the rain. (AL810, AL820)

KTC KYOTO TOOL CO., LTD.

128 Sayama-Shinkaichi, Kumiyama-cho Kuse-gun, Kyoto 613-0034, Japan Official site: en.ktc.jp



There might be size differences between those mentioned on this leaflet and the actual products for the product tolerance.

•Product design might be changed for the improvement without the notifications.



Supporting workplace safety with brightness

Rechargeable LED light series



3 types to choose from depending on the work scene. Brightness makes your work more comfortable.

▶ Wearable type









For maintenance while using both hands

For inspection and maintenance of warehouse


For narrow spaces of the engine room

For inspection of the switchboard



► Handy type







For inspection of the engine room, undercarriage



For dark places such as factories and garages

For maintenance and inspection of automotive undercarriage

For maintenance of automotive undercarriage



1

Neck light allows to work with both hands.



Illuminates the work area even in the dark, and allowing you to work with both hands.



The flexible neckband to adjust the fit.



Illuminate specifically by adjusting the angle of the head.



RECHARGEABLE LED NECK LIGHT

No		Light source(lm)	Continuous work time(h)	Weight(g)
AL8	314N	320 (Strong)	2.0 (Strong)	140

·Last for about 2 hours with maximum brightness of 320lm.

Reduce battery purchase costs by using a rechargeable lithium-ion battery.

•Wear around the neck, and illuminate the work area. Use both hands even in the dark places.

AL816P

•The head part rotates 90 degrees, so available to work while carrying it in such as chest pocket.

·Dimmer level: AL816P: 2 levels (strong/weak), AL816H: 3 levels (strong/medium/weak)

Continuous work time(h)

2.5 (Strong)

RECHARGEABLE LED FLEXIBLE LIGHT

-AL816P lasts for about 2.5 hours with maximum brightness of 350lm. AL816H lasts for about 3 hours with maximum brightness of 1000lm. Uses a lithium-ion rechargeable battery to reduce battery purchase costs.

(PEN LIGHT TYPE / HAND LIGHT TYPE) Light source(lm)


350 (Strong)

1,000 (Strong)

•Equipped with a magnet on the bottom for easy fixation

■AL816H

The neckband moves flexibly, so the fit can be adjusted. Dimming level: 2 (strong/week)



▶ Wearable type

Stepless flexible head ensures brightness at the desired angle.



If you use the clip to attach it to your chest pocket, you can use both hands in the dark.

Various ways to use 3WAY Pocket

2 Hand

Magnet



Easy fixation with bottom magnet.


The head part can be rotated steplessly up to 90 degrees.




AL816P

AL816H





clip and attach it to your chest pocket.





The non-slip knurling allows you to hold it firmly in your hand and



For more details

AL816H

Weight(g)

89

3It is fixed with a bottom magnet and can be illuminated freely by adjusting

A light with a head holder that can be used as both a penlight and a headlight.



e it as a headlight with head holder and work with both hands



Use it as a penlight to illuminate small areas without the head holder.




Come with a magnet for convenient fastening of the light.



RECHARGEABLE LED PEN LIGHT

No.	Light source(lm)	Continuous work time(h)	Weight(g)
AL820	380 (Strong)	3.0 (Strong)	50 (main body)

- •A dual-purpose pen-shaped head light used for detailed manual work such as car maintenance.
- ·Use penlight with head holder and work with both hands.
- ·Last for about 3 hours with maximum brightness of 380lm.
- •Equipped with a powerful magnet on the bottom for easy fixation.
 •The irradiation angle of the head holder is 120 degrees, allowing for a wide range of irradiation.
- ·Lighting pattern: top light, main light ·Dimming level: 2 (strong/week)
- ·Charging terminal: USB Type-C, charging time is approximately 1.5 hou



Head holder

▶ Wearable type

The headlight type for working both hands in dark places.



Headlight type for working with both hands in dark places.



The inside of AL813M's headband is anti-slip, making it easy to attach to a



for AL813S and 4 stages for AL813M.



The motion sensor allows to turn it on and AL813M can switch between wide angle off without touching it. (AL813S, AL813M common specifications)



AL813S



For more details





RECHARGEABLE LED HEAD LIGHT

No.	Light source(lm)	Continuous work time(h)	Weight(g)
AL813S	200 (Strong)	2.0 (Strong)	50 (Including headband)
AL813M	400 (Floodlight (Strong))	4.0 (Floodlight (Strong))	111 (Including headband)

·Both hands are free with headlight even in dark place.


•Motion sensor turns on/off without touching.
•AL813S has 3 adjustable stage of the angle. AL813M has 4 adjustable stage of the angle.


•Non-slip tape on the inside of the headband. Easy to put on a helmet and hard to slide off. (AL813M) •Rechargeable lithium polymer battery.


Lighting pattern: spotlight, floodlight (AL813M)
Dimming level: AL813S has 2 levels (strong/weak)

AL813M has 3 levels (strong/medium/weak) floodlight only •Charging terminal : AL813S is USB micro-B. AL813M is USB Type-C.

Charging time is approximately 2.5 hours for both.
•Dustproof and waterproof: IP65 ·Accessories: USB charging cable, headband (charger does not included)











The lighting selection switch is separated from the power supply switch and installed on the light side. You can change the lighting pattern without changing your hand.



The charging terminal uses USB Type-C. Equipped with an indicator (red → green) to let you know when charging is complete. (AL815P)

AL815P AL815H

AI 815H

RECHARGEABLE LED PEN LIGHT

No.	Light source(lm)	Continuous work time(h)	Weight(g)
AL815P	350 (Strong)	2.3 (Strong)	52

RECHARGEABLE LED HAND LIGHT

No.	Light source (lm)	Continuous work time(h)	Weight(g)
AL815H	1,000 (Strong)	1.5 (Strong)	135

•Small and slim pen type that can be stored in a chest pocket or pen case. •Attach to a binder or breast pocket with a pen clip.

·AL815H Lasts for about 1.5 hours with maximum brightness of 1,000lm

Separate the power switch and selector switch. It is easy to change the lighting pattern while holding the device. (AL815H)

-Dimming level: AL815P has 3 stages (strong/weak/ecology).

AL815H has 4 levels (strobe/strong/weak/ecology).

-Charging terminal: AL815P is USB Type-C, charging time is approximately 2

-Dustproof and waterproof: AL815P is IP66. AL815H is IP68.

RECHARGEABLE LED FOLDING LIGHT Light source(lm)

AL815V | 100 (Main light (strong), sub light) | 3.0 (Top light, main light (Strong), sub light) |

AL815W 800 (Main light (strong)) 2.5 (Main light (strong))

Dimming level : AL815V has 2 levels (strong/weak) Main light only AL815W has 2 levels (strong/weak) main light, sub light only

·Charging terminal: AL815V is USB Type-C, charging time is approximately 2.5 hours.

•Folding type with 180' stepless opening and closing.
•Equipped with one magnet on the bottom. Can be attached to magnetic walls, pillars, fixtures, etc.

AL815W is USB Type-C, charging time is about 4 hours.



▶ Handy type

Foldable light with 3 types of LED lights.







Easy fixation with a magnet on the bottom. (Common to AL815V and AI 815W)



The angle can be adjusted steplessly by 180°. Fold compactly and store in your breast pocket or pencil case. (Common to AL815V and AL815W)




Top light is on the tip.



•Compact size for lighting narrow space.
•Lighting pattern: top light, main light, sub light

Dustproof and waterproof: AL815V is IP2X. AL815W is IP54.





Continuous work time(h) Weight(g)

AL815V For more details

For more details

60





900lm light source improves efficiency in dark places and night work.



Effective in narrow and recessed areas.





The bottom of the magnet rotates freely and can be easily fixed.



The LED has two-color dimming (white/warm). It can be used differently depending on the work environment, and it is also possible to light up two colors at



Equipped with two hooks on the back. It can be hung both vertically and horizontally for illumination.



RECHARGEABLE LED SLIM LIGHT

1810 900(Intermediate color) 16(Intermediate color) 310	No.	Light source(lm)	Continuous work time(h)	Weight(g)
300 (intermediate cotor) 1.0 (intermediate cotor) 310	AL810	900 (Intermediate color)	1.6 (Intermediate color)	310

·Last for about 1.6 hours with maximum brightness of 900lm.

·Adjust the light color using the knob on the right side of the main unit.

Equipped with 2 hooks for hanging. Equipped with a weak magnet on the top of the main unit. Useful for picking up small parts $\,$ dropped in narrow spaces.

·Dimming level: stepless (dial type)

•Charging terminal : USB micro-B, charging time is approximately 2.8 hours.
•Dustproof : IPSX



360 degree swing. Lightweight and compact floor light.



3 types of lighting patterns to brightly illuminate the entire work area.



Equipped with a magnet on the bottom of the stay.



the angle in 30 degree increments.






RECHARGEABLE LED FLOOR LIGHT S

No.	Light source(lm)	Continuous work time(h)	Weight (g)
AL812S	700 (Strong)	2.0 (Strong)	243

-Light part rotates 360 degrees. The angle can be fixed in 30 degree increments. •Equipped with a powerful magnet on the bottom for easy fixation.

•Dimming level : 3 levels (strong/medium/weak) •Charging terminal : USB Type-C,

charging time is app •Dustproof and waterproof: IP65





AL812S For more details *Japanese version only

