Select KTC's rechargeable LED light series depending on the work scene and brightness

| Type | | Wearable type | | | | Handy type | | | Freestanding type | | | |
|---------------------------------|------------|------------------------------------|----------------------------------|---------------------------------|-----------|-------------------------------|-----------|-----------|--------------------------------------|---|---|---------------|
| Description | NECK LIGHT | FLEXIBLE LIGHT (PEN LIGHT TYPE) | FLEXIBLE LIGHT (HAND LIGHT TYPE) | PEN LIGHT (WITH HEAD HOLDER) | HEAD | LIGHT | PEN LIGHT | AND LIGHT | FOLDIN | g Light | SLIM LIGHT | FLOOR LIGHT S |
| Part No. | Ŋ | 1 | 1 | | <u>~</u> | S | | | | | | 0 |
| | AL814N | AL816P | AL816H | AL820 | AL813SA | AL813M | AL815P | AL815H | AL815V | AL815W | AL810 | AL812S |
| Light source (lm) | 320 | 350 | 1000 | 380 | 200 | 400 | 350 | 1000 | 100 | 800 | 900 | 700 |
| Continuous work time (h)* | 2.0 | 2.5 | 3.0 | 3.0 | 2.0 | 4.0 | 2.3 | 1.5 | 3.0 | 2.5 | 1.6 | 2.0 |
| Lighting pattern | - | - | - | Top light Main light | - | Spotlight Floodlight | - | - | Top light Main light Sub light | Top light Main light Sub light | White Warm color Intermediate color | - |
| Dimming level | 2 levels | 2 levels | 3 levels | 2 levels (Main light only) | 2 levels | 3 levels (Floodlight only) | 3 levels | 4 levels | 2 levels (Main light only) | 2 levels (Main and (sub light only) | Level less | 3 levels |
| Charging time (h) | about 2.5 | about 2.5 | about 2.5 | about 1.5 | about 2.5 | about 2.5 | about 2.5 | about 4.0 | about 2.5 | about 4.0 | about 2.8 | about 4.0 |
| Dustproof Waterproof | IP54 | IP65 | IP65 | - | IP65 | IP65 | IP66 | IP68 | IP2X | IP54 | IP5X | IP65 |
| Weight (g) | 140 | 89 | 216 | 50 | 50 | 111 | 52 | 135 | 60 | 193 | 310 | 243 |
| Charging terminal (USB) | Type-C | Type-C | Type-C | Type-C | Туре-С | Туре-С | Туре-С | micro-B | Туре-С | Туре-С | micro-B | Type-C |
| Charging cable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Charger | - | - | - | - | - | - | - | - | - | - | 0 | - |
| Head band | - | - | - | 0 | 0 | 0 | - | - | - | - | - | - |

*Continuous use time is the maximum lighting time when using "strong" For products marked with " ()", please check stock availability before ordering.



 $\cdot \text{Do}$ not look directly at the LED.

•Do not disassemble or modify.

•Tighten the cap firmly after inserting or removing the dedicated rechargeable battery. (AL815P, AL816H, AL816P, AL816H)
•There is no waterproof function. Do not use it underwater or in the rain. (AL810, AL820)

KTC KYOTO TOOL CO., LTD.

128 Sayama-Shinkaichi, Kumiyama-cho Kuse-gun, Kyoto 613-0034, Japan Official site: en.ktc.jp

- •All sizes on this leaflet are indicated as millimeter unless mentioned.
- There might be size differences between those mentioned on this leaflet and the actual products for the product tolerance.
- •Product design might be changed for the improvement without the notifications.



Supporting workplace safety with brightness

Rechargeable LED light series



3 types to choose from depending on the work scene. Brightness makes your work more comfortable.

▶ Wearable type










For maintenance while using both hands


For inspection and maintenance of warehouse

For narrow spaces of the engine room



► Handy type







For inspection of the engine room, undercarriage



For dark places such as factories and garages

For maintenance and inspection of automotive undercarriage

For maintenance of automotive undercarriage



Neck light allows to work with both hands.



Illuminates the work area even in the dark, and allowing you to work with both hands.



The flexible neckband to adjust the fit.



Illuminate specifically by adjusting the angle of the head.



RECHARGEABLE LED NECK LIGHT

| No. | Light source(lm) | Continuous work time(h) | Weight (g) |
|--------|------------------|-------------------------|------------|
| AL814N | 320 (Strong) | 2.0 (Strong) | 140 |

·Last for about 2 hours with maximum brightness of 320lm.

Reduce battery purchase costs by using a rechargeable lithium-ion battery.

Wear around the neck, and illuminate the work area. Use both hands even in the dark places.

AL816P

·The head part rotates 90 degrees, so available to work while carrying it in such as chest pocket.

·Dimmer level: AL816P: 2 levels (strong/weak), AL816H: 3 levels (strong/medium/weak)

Continuous work time(h)

2.5 (Strong

RECHARGEABLE LED FLEXIBLE LIGHT

(PEN LIGHT TYPE / HAND LIGHT TYPE) Light source(lm)


350 (Strong)

1,000 (Strong) ·AL816P lasts for about 2.5 hours with maximum brightness of 350lm. AL816H lasts for about 3 hours with maximum brightness of 1000lm. Uses a lithium-ion rechargeable battery to reduce battery purchase costs.

•Equipped with a magnet on the bottom for easy fixation

·The neckband moves flexibly, so the fit can be adjusted.

Dimming level : 2 (strong/week)



▶ Wearable type

Stepless flexible head ensures brightness at the desired angle.



If you use the clip to attach it to your chest pocket, you can use both hands in the dark.

Various ways to use 3WAY Pocket

2 Hand

Magnet



Easy fixation with bottom magnet.




The head part can be rotated steplessly up to 90 degrees.





clip and attach it to your chest pocket.



AL816P



The non-slip knurling allows you to hold it firmly in your hand and



For more details

AL816H

Weight(g)

89

It is fixed with a bottom magnet and can be illuminated freely by adjusting

A light with a head holder that can be used as both a penlight and a headlight.



e it as a headlight with head holder and work with both hands



Use it as a penlight to illuminate small areas without the head holder.



Come with a magnet for convenient fastening of the light.





RECHARGEABLE LED PEN LIGHT

| No. | Light source(lm) | Continuous work time(h) | Weight(g) |
|-------|------------------|-------------------------|----------------|
| AL820 | 380 (Strong) | 3.0 (Strong) | 50 (main body) |


·A dual-purpose pen-shaped head light used for detailed manual work such as car maintenance

•Use penlight with head holder and work with both hands. •Last for about 3 hours with maximum brightness of 380lm.

•Equipped with a powerful magnet on the bottom for easy fixation.
•The irradiation angle of the head holder is 120 degrees, allowing for a wide range of irradiation.

·Lighting pattern: top light, main light

Dimming level: 2 (strong/week)



Head holder

▶ Wearable type

The headlight type for working both hands in dark places.



Headlight type for working with both hands in dark places.



The inside of AL813M's headband is anti-slip, making it easy to attach to a



The angle can be adjusted in 3 stages for AL813SA and 4 stages for AL813M.



off without touching it. (AL813SA, AL813M and spot. common specifications)



The motion sensor allows to turn it on and AL813M can switch between wide angle





RECHARGEABLE LED HEAD LIGHT

| No. | Light source(lm) | Continuous work time(h) | Weight(g) |
|---------|---------------------------|---------------------------|--------------------------|
| AL813SA | 200 (Strong) | 2.0 (Strong) | 50 (Including headband) |
| AL813M | 400 (Floodlight (Strong)) | 4.0 (Floodlight (Strong)) | 111 (Including headband) |

·Both hands are free with headlight even in dark place.

•Motion sensor turns on/off without touching.
•AL813SA has 3 adjustable stage of the angle. AL813M has 4 adjustable stage of the angle. •Non-slip tape on the inside of the headband. Easy to put on a helmet and hard to slide off. (AL813M) •Rechargeable lithium polymer battery.


Lighting pattern: spotlight, floodlight (AL813M)
Dimming level: AL813SA has 2 levels (strong/weak) AL813M has 3 levels (strong/medium/weak) floodlight only

·Charging terminal : USB Type-C. Charging time is approximately 2.5 hours for both.

•Dustproof and waterproof: IP65

·Accessories: USB charging cable, headband (charger does not included)







*The continuous use time and charging time of the listed products will vary depending on the usage/charging environment, battery condition, and AC adapter used.

^{*}For products marked with " ()", please check stock availability before ordering.







separated from the power supply switch and installed on the light side. You can change the lighting pattern without changing your hand.



The charging terminal uses USB Type-C. Equipped with an indicator (red → green) to let you know when charging is complete. (AL815P)

AL815P AL815H

RECHARGEABLE LED PEN LIGHT

| No. | Light source(lm) | Continuous work time(h) | Weight(g) |
|--------|------------------|-------------------------|-----------|
| AL815P | 350 (Strong) | 2.3 (Strong) | 52 |

RECHARGEABLE LED HAND LIGHT

| No. | Light source(lm) | Continuous work time(h) | Weight (g) |
|----------|------------------|-------------------------|------------|
| ✓ AL815H | 1,000 (Strong) | 1.5 (Strong) | 135 |

•Small and slim pen type that can be stored in a chest pocket or pen case.
•Attach to a binder or breast pocket with a pen clip.
•AL815H Lasts for about 1.5 hours with maximum brightness of 1,000lm.

Separate the power switch and selector switch. It is easy to change the lighting pattern while holding the device. (AL815H)

-Dimming level: AL815P has 3 stages (strong/weak/ecology).

AL815H has 4 levels (strobe/strong/weak/ecology).

-Charging terminal: AL815P is USB Type-C, charging time is approximately 2
-Dustproof and waterproof: AL815P is IP66. AL815H is IP68.



▶ Handy type

Foldable light with 3 types of LED lights.






Easy fixation with a magnet on the bottom. (Common to AL815V and



The angle can be adjusted steplessly by 180°. Fold compactly and store in your breast pocket or pencil case. (Common to AI 815V and AI 815W)



Sub light is on the back of main light. Top light is on the tip.



AL815V For more details

For more details

RECHARGEABLE LED FOLDING LIGHT


| No. | Light source(lm) | Continuous work time(h) | Weight(g) |
|--------|--------------------------------------|---|-----------|
| AL815V | 100 (Main light (strong), sub light) | 3.0 (Top light, main light (Strong), sub light) | 60 |
| AL815W | 800 (Main light (strong)) | 2.5 (Main light (strong)) | 193 |


•Folding type with 180' stepless opening and closing.
•Equipped with one magnet on the bottom. Can be attached to magnetic walls, pillars, fixtures, etc. •Compact size for lighting narrow space.
•Lighting pattern: top light, main light, sub light


-Dimming level : AL815V has 2 levels (strong/weak) Main light only AL815W has 2 levels (strong/weak) main light, sub light only


·Charging terminal : AL815V is USB Type-C, charging time is approximately 2.5 hours.

Dustproof and waterproof: AL815V is IP2X, AL815W is IP54.









▶ Handy type

900lm light source improves efficiency in dark places and night work.



Effective in narrow and recessed areas.





The bottom of the magnet rotates freely and can be easily fixed.



The LED has two-color dimming (white/warm). It can be used differently depending on the work environment, and it is also possible to light up two colors at



Equipped with two hooks on the back. It can be hung both vertically and horizontally for illumination.

For more details



RECHARGEABLE LED SLIM LIGHT

| AL810 900 (Intermediate color) 1.6 (Intermediate color) 310 | No. | Light source(lm) | Continuous work time(h) | Weight(g) |
|---|-------|--------------------------|--------------------------|-----------|
| | AL810 | 900 (Intermediate color) | 1.6 (Intermediate color) | 310 |

·Last for about 1.6 hours with maximum brightness of 900lm.

·Adjust the light color using the knob on the right side of the main unit.


•Equipped with 2 hooks for hanging.

Equipped with a weak magnet on the top of the main unit. Useful for picking up small parts dropped in narrow spaces.

·Lighting pattern : white, warm color, neutral color

·Dimming level: stepless (dial type)

•Charging terminal : USB micro-B, charging time is approximately 2.8 hours. •Dustproof : IP5X



360 degree swing. Lightweight and compact floor light.



3 types of lighting patterns to brightly illuminate the entire work area.



Equipped with a magnet on the bottom of the stay.



the angle in 30 degree increments.





RECHARGEABLE LED FLOOR LIGHT S


| No. | Light source(lm) | Continuous work time(h) | Weight(g) |
|--------|------------------|-------------------------|-----------|
| AL812S | 700 (Strong) | 2.0 (Strong) | 243 |

-Light part rotates 360 degrees. The angle can be fixed in 30 degree increments. - Equipped with a powerful magnet on the bottom for easy fixation.

•Dimming level : 3 levels (strong/medium/weak)

·Charging terminal : USB Type-C,

charging time is app •Dustproof and waterproof: IP65





For more details

*For products marked with "()", please check stock availability before ordering.

*The continuous use time and charging time of the listed products will vary depending on the usage/charging environment, battery condition, and AC adapter used.